


Komax Viet Nam  
Smartrac  
Product portfolio

May 2024

# Innovating the future with RFID



# Why choose Komax Viet Nam Smartrac?

As the world's largest RFID partner, we provide solutions for multiple industries, from retail and food, to healthcare and aviation.

Our integrated global RFID approach is proven to increase inventory accuracy, improve supply chain agility and enhance visibility across all channels.

When you choose Komax Viet Nam, you get field-proven inlay products, advanced research and testing capabilities, experienced engineering and technical resources, and, most importantly, a partner with a deep understanding of what it takes to make your application successful.

Sustainability is at the core of everything we do, from innovation and product design to development and production. The majority of our inlays now feature our patented SmartFace™ technology, which is one of the most sustainable solutions on the market, reducing your brand's environmental impact.

## Applications



Item-level retail:  
Apparel, accessories, cosmetics, jewelry, food and general retail



Healthcare: Medical and pharmaceutical



Transportation: Automotive and aviation



Industrial logistics and manufacturing



Animal identification



Brand protection and product authentication



Supply chain, asset tracking, inventory and logistics



Contactless cards and tickets




Library, media, documents and files

## Sustainability



Our Pure portfolio of environmentally friendly inlays include a family of UHF RFID inlay designs that feature antennas made from pure aluminum in the final inlay construction.



# Retail portfolio



## Retail portfolio UHF RFID inlays

| Design Family              | Product Name                            | Design (not to scale) | Antenna Dimensions             | Primary Segment | ARC Spec                              |
|----------------------------|-----------------------------------------|-----------------------|--------------------------------|-----------------|---------------------------------------|
| AD-23x<br>(AD Belt)        | AD-239<br>Impinj M730<br>Impinj M750    |                       | 70 x 14.5 mm<br>2.76 x 0.57 in | Apparel         | F, I, L, O, Q, R,<br>W2, W5, W6, Y    |
|                            | AD-23x<br>NXP UCODE 9                   |                       | 70 x 14.5 mm<br>2.76 x 0.57 in | Apparel         | F, I, L, O, Q, R,<br>W2, W5, W6, Y, Z |
|                            | AD-23x U9 Pure 95™<br>NXP UCODE 9       |                       | 70 x 14.5 mm<br>2.76 x 0.57 in | Apparel         | F, I, L, O, Q, R,<br>W2, W5, W6, Y, Z |
|                            | AD Belt<br>Impinj M730<br>Impinj M750   |                       | 70 x 14 mm<br>2.76 x 0.55 in   | Apparel         | F, I, L, O, Q, R,<br>W2, W5, W6, Y, Z |
|                            | NXP UCODE 9                             |                       | 70 x 14 mm<br>2.76 x 0.55 in   |                 | F, I, L, O, Q, R,<br>W2, W5, W6, Y, Z |
|                            | AD Belt Pure<br>NXP UCODE 9             |                       | 70 x 14 mm<br>2.76 x 0.55 in   | Apparel         | F, I, L, O, Q, R,<br>W2, W5, W6, Y    |
| AD-33x<br>(AD Belt Spec H) | AD-333<br>NXP UCODE 9                   |                       | 70 x 14.5 mm<br>2.76 x 0.57 in | Apparel         | F, H, O, Q, R, W2,<br>W5, W6, Y       |
|                            | AD-333 Pure 95™<br>NXP UCODE 9          |                       | 70 x 14.5 mm<br>2.76 x 0.57 in | Apparel         | F, H, O, Q, R, W2,<br>W5, W6, Y       |
|                            | AD-334<br>Impinj M730<br>Impinj M750    |                       | 70 x 14.5 mm<br>2.76 x 0.57 in | Apparel         | F, H, I, L, O, Q, R,<br>W2, W5, W6, Y |
|                            | AD Belt H<br>Impinj M730<br>Impinj M750 |                       | 70 x 14.6 mm<br>2.76 x 0.58 in | Apparel         | F, H, I, L, O, Q, R,<br>W2, W5, W6, Y |
| AD Burst<br>(AD-23x Slim)  | AD-23x Slim<br>NXP UCODE 9              |                       | 70 x 10.5 mm<br>2.76 x 0.41 in | Apparel         | F, I, L, O, Q, R,<br>W2, W5, W6, Y    |
|                            | AD Burst<br>Impinj M830<br>Impinj M850  |                       | 70 x 10.5 mm<br>2.76 x 0.41 in | Apparel         | Results Pending                       |
| AD-35x                     | AD-350<br>NXP UCODE 8                   |                       | 76 x 6 mm<br>2.99 x 0.24 in    | Apparel         | I, Q                                  |
| AD Longbow                 | AD Longbow<br>NXP UCODE 9               |                       | 70 x 8 mm<br>2.76 x 0.32 in    | Apparel         | F, I, L, O, Q, R,<br>W2, W5, W6, Y    |



Pure portfolio product



## Retail portfolio UHF RFID inlays

| Design Family                          | Product Name                                                                                                              | Design (not to scale)                                                                                                                                                          | Antenna Dimensions              | Primary Segment | ARC Spec                           |
|----------------------------------------|---------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------|-----------------|------------------------------------|
| <b>AD Nitro</b>                        | <b>AD Nitro NEL</b><br>NXP UCODE 8                                                                                        |                                                                                               | 12 x 70 mm<br>0.47 x 2.76 in    | Apparel         | F, I, L, Q, R, W2,<br>W5, W6, Y    |
| <b>AD Force WEL</b><br><b>(AD-38x)</b> | <b>AD-386</b><br>Impinj M730<br>Impinj M750                                                                               |                                                                                               | 50 x 30 mm<br>1.97 x 1.18 in    | Apparel         | F, I, L, Q, R, W2,<br>W5, W6, Y    |
|                                        | <b>AD-387 WEL</b><br>NXP UCODE 9                                                                                          |                                                                                               | 50 x 30 mm<br>1.97 x 1.18 in    | Apparel         | F, I, L, Q, R, W2,<br>W5, W6, Y    |
|                                        | <b>AD Force</b><br>Impinj M775                                                                                            |                                                                                               | 50 x 30 mm<br>1.97 x 1.18 in    | Apparel         | F, I, L, Q, R, W2,<br>W5, W6, Y    |
|                                        |  <b>AD Force Pure 95™</b><br>NXP UCODE 9 |                                                                                               | 50 x 30 mm<br>1.97 x 1.18 in    | Apparel         | F, I, L, Q, R, W2,<br>W5, W6, Y    |
| <b>AD Force NEL</b><br><b>(AD-38x)</b> | <b>AD-387 NEL</b><br>NXP UCODE 9                                                                                          |                                                                                              | 30 x 50 mm<br>1.18 x 1.97 in    | Apparel         | F, I, L, Q, W2, W5,<br>W6, Y       |
| <b>AD Web</b>                          | <b>AD Web</b><br>Impinj M730<br>Impinj M750                                                                               | <br><br> | 50 x 30 mm<br>1.97 x 1.18 in    | Apparel         | F, I, L, O, Q, R,<br>W2, W5, W6, Y |
|                                        | NXP UCODE 9                                                                                                               | <br><br> | 50 x 30 mm<br>1.97 x 1.18 in    | Apparel         | F, I, L, O, Q, R,<br>W2, W5, W6, Y |
|                                        |  <b>AD Web Pure</b><br>NXP UCODE 9     |                                                                                             | 50 x 30 mm<br>1.97 x 1.18 in    | Apparel         | F, I, L, O, Q, R,<br>W2, W5, W6, Y |
|                                        |                                                                                                                           |                                                                                                                                                                                |                                 |                 |                                    |
| <b>AD Quantum</b><br><b>(AD-31x)</b>   | <b>AD-311</b><br>Impinj M730<br>Impinj M750                                                                               |                                                                                             | 41.4 x 29 mm<br>1.63 x 1.14 in  | Apparel         | F, I, L, Q, W2, W5                 |
|                                        | <b>AD-312</b><br>NXP UCODE 9                                                                                              |                                                                                             | 41.4 x 29 mm<br>1.63 x 1.14 in  | Apparel         | F, I, Q, W2, W5                    |
|                                        |  <b>AD-312 Pure 95™</b><br>NXP UCODE 9 |                                                                                             | 41.4 x 29 mm<br>1.63 x 1.14 in  | Apparel         | F, I, Q, W2, W5                    |
|                                        | <b>AD Quantum</b><br>NXP UCODE 9                                                                                          |                                                                                             | 41.4 x 29 mm<br>1.63 x 1.142 in | Apparel         | F, I, L, Q, R, W2,<br>W5, W6, Y    |


## Retail portfolio UHF RFID inlays

| Design Family       | Product Name                             | Design (not to scale)                                                               | Antenna Dimensions             | Primary Segment | ARC Spec                           |
|---------------------|------------------------------------------|-------------------------------------------------------------------------------------|--------------------------------|-----------------|------------------------------------|
| AD Eagle            | AD Eagle®<br>NXP UCODE 9                 |    | 44 x 28 mm<br>1.73 x 1.10 in   | Apparel         | F, I, L, O, Q, R,<br>W2, W5, W6, Y |
|                     | Impinj M730<br>Impinj M750               |    | 44 x 28 mm<br>1.73 x 1.10 in   | Apparel         | F, I, L, O, Q, R,<br>W2, W5, W6, Y |
|                     |                                          |    |                                |                 |                                    |
| AD Bolt<br>(AD-32x) | AD-324 FCC<br>NXP UCODE 8                |    | 41 x 16 mm<br>1.63 x 0.63 in   | Apparel         | F, Q, W2, W5, W6                   |
|                     | AD-325 FCC<br>Impinj M730<br>Impinj M750 |    | 42.5 x 17 mm<br>1.67 x 0.67 in | Apparel         | F, Q, W2, W5                       |
|                     | AD Bolt FCC<br>Impinj M730               |    | 42.5 x 17 mm<br>1.67 x 0.67 in | Apparel         | F, Q, W2, W5                       |
|                     | AD Bolt FCC<br>NXP UCODE 9               |   | 42.5 x 17 mm<br>1.67 x 0.67 in | Apparel         | F, Q, W2, W5                       |
|                     | AD-327 FCC<br>NXP UCODE 9                |  | 42.5 x 17 mm<br>1.67 x 0.67 in | Apparel         | F, Q, W5                           |
|                     | AD-327 ETSI<br>NXP UCODE 9               |  | 41 x 16 mm<br>1.63 x 0.63 in   | Apparel         |                                    |
| P                   | AD-327 ETSI<br>Pure 95™<br>NXP UCODE 9   |  | 41.4 x 16 mm<br>1.63 x 0.63 in | Apparel         |                                    |

## Retail portfolio UHF RFID inlays

| Design Family            | Product Name                                    | Design (not to scale)                                                               | Antenna Dimensions           | Primary Segment           | ARC Spec                                        |
|--------------------------|-------------------------------------------------|-------------------------------------------------------------------------------------|------------------------------|---------------------------|-------------------------------------------------|
| AD Miniweb               | AD Miniweb FCC<br>Impinj M730<br>Impinj M750    |    | 42 x 16 mm<br>1.65 x 0.63 in | Apparel                   | F, O, Q, W2, W5, W6                             |
|                          | NXP UCODE 9                                     |    | 42 x 16 mm<br>1.65 x 0.63 in | Apparel                   | F, O, Q, W2, W5, W6                             |
|                          | AD Miniweb ETSI<br>NXP UCODE 9                  |    | 42 x 16 mm<br>1.65 x 0.63 in | Apparel                   | I                                               |
|                          | AD Miniweb ETSI<br>Pure<br>NXP UCODE 9          |    | 42 x 16 mm<br>1.65 x 0.63 in | Apparel                   | I                                               |
|                          | AD Miniweb Global<br>Impinj M730<br>Impinj M750 |    | 42 x 16 mm<br>1.65 x 0.63 in | Apparel                   | I, Q                                            |
|                          | Impinj M830                                     |    | 42 x 16 mm<br>1.65 x 0.63 in | Apparel                   | Results Pending                                 |
|                          | AD Sonic FCC<br>NXP UCODE 9                     |   | 44 x 20 mm<br>1.73 x 0.79    | Apparel<br>General Retail | F, G, N, O, Q, R<br>W1, W2, W3, W4<br>W5, W6, Y |
| AD Astro WEL<br>(AD-37x) | AD-372<br>NXP UCODE 8                           |  | 53 x 19 mm<br>2.09 x 0.75 in | Apparel                   | F, Q, W5                                        |
|                          | AD Astro<br>NXP UCODE 9<br>PFL Format Only      |  | 53 x 19 mm<br>2.09 x 0.75 in | Apparel                   |                                                 |
| AD Astro NEL<br>(AD-37x) | AD Astro NEL<br>Pure 95™<br>NXP UCODE 9         |  | 19 x 53 mm<br>0.75 x 2.09 in | Apparel                   | F, I, L, Q, W2, W5                              |
| AD Cosmic<br>(AD-173)    | AD Cosmic ETSI<br>NXP UCODE 9                   |  | 27 x 14 mm<br>1.06 x 0.55 in | Apparel                   |                                                 |
| AD Dazzle<br>(AD-30x)    | AD-302<br>Impinj M730<br>Impinj M750            |  | 30 x 15 mm<br>1.20 x 0.60 in | Apparel                   | Q                                               |
|                          | AD Dazzle<br>NXP UCODE 9                        |  | 30 x 15 mm<br>1.20 x 0.60 in | Apparel                   | Q                                               |

## Retail portfolio UHF RFID inlays


| Design Family                 | Product Name                                      | Design (not to scale)                                                               | Antenna Dimensions             | Primary Segment             | ARC Spec |
|-------------------------------|---------------------------------------------------|-------------------------------------------------------------------------------------|--------------------------------|-----------------------------|----------|
| <b>AD Accessory</b>           | <b>AD Accessory</b><br>Impinj M730<br>Impinj M750 |    | 30 x 15 mm<br>1.20 x 0.60 in   | Apparel<br>Beauty           | Q        |
|                               | <b>AD Accessory</b><br>NXP UCODE 9                |    | 30 x 15 mm<br>1.20 x 0.60 in   | Apparel<br>Beauty           | Q        |
| <b>AD Dynamo<br/>(AD-13x)</b> | <b>AD Dynamo</b><br>NXP UCODE 9                   |    | 45 x 7.5 mm<br>1.7 x 0.26 in   | Apparel                     | Q        |
| <b>AD-40x</b>                 | <b>AD-400</b><br>NXP UCODE 9                      |    | 23 x 23 mm<br>0.91 x 0.91 in   | Apparel                     |          |
| <b>AD-141</b>                 | <b>AD-141</b><br>NXP UCODE 9                      |    | 4 x 28 mm<br>0.16 x 1.10 in    | Beauty                      |          |
| <b>AD-18x</b>                 | <b>AD-183</b><br>NXP UCODE 9                      |    | Ø 26 mm<br>Ø 1.02 in           | Beauty                      |          |
| <b>AD Presto<br/>(AD-19x)</b> | <b>AD-192</b><br>Impinj M730<br>Impinj M750       |  | 22 x 12.5 mm<br>0.86 x 0.49 in | Beauty                      |          |
|                               | <b>AD Presto</b><br>NXP UCODE 9                   |  | 22 x 12.5 mm<br>0.86 x 0.49 in | Beauty                      |          |
| <b>AD Bling</b>               | <b>AD Bling</b><br>Impinj M730<br>Impinj M750     |  | 22 x 12.5 mm<br>0.9 x 0.5 in   | Beauty                      |          |
| <b>AD-83x</b>                 | <b>AD-834</b><br>NXP UCODE 9                      |  | Ø 13 mm<br>Ø 0.51 in           | Beauty                      |          |
| <b>AD-16x</b>                 | <b>AD-164</b><br>NXP UCODE 9                      |  | 60 x 4 mm<br>2.36 x 0.16 in    | Beauty                      |          |
| <b>AD-251 r6-P</b>            | <b>AD-251 ETSI</b><br>Impinj Monza R6-P           |  | 95 x 14.5 mm<br>3.74 x 0.57 in | Food<br>Microwave Resistant |          |
|                               | <b>AD-251 FCC</b><br>Impinj Monza R6-P            |  | 95 x 13 mm<br>3.74 x 0.52 in   | Food<br>Microwave Resistant |          |

## Retail portfolio On-Metal tags

| Design Family | Product Name                      | Design (not to scale)                                                             | Tag Dimensions                                              | Primary Segment | ARC Spec |
|---------------|-----------------------------------|-----------------------------------------------------------------------------------|-------------------------------------------------------------|-----------------|----------|
| <b>AD-45x</b> | <b>AD-456 ETSI</b><br>NXP UCODE 8 |  | 64 x 6 mm<br>2.52 x 0.24 in<br>64 x 18 mm<br>2.52 x 0.71 in | Beauty<br>Food  |          |
|               | <b>AD-456 FCC</b><br>NXP UCODE 8  |  | 64 x 6 mm<br>2.52 x 0.24 in<br>64 x 18 mm<br>2.52 x 0.71 in | Beauty<br>Food  |          |
|               | <b>AD-457 ETSI</b><br>NXP UCODE 9 |  | 64 x 6 mm<br>2.52 x 0.24 in<br>64 x 18 mm<br>2.52 x 0.71 in | Beauty<br>Food  |          |
|               | <b>AD-457 FCC</b><br>NXP UCODE 9  |  | 64 x 6 mm<br>2.52 x 0.24 in<br>64 x 18 mm<br>2.52 x 0.71 in | Beauty<br>Food  |          |

## Retail portfolio - Combo tags UHF + EAS


| Design Family                  | Product Name                                   | Design (not to scale)                                                               | Antenna Dimensions               | Primary Segment | ARC Spec   |
|--------------------------------|------------------------------------------------|-------------------------------------------------------------------------------------|----------------------------------|-----------------|------------|
| <b>AD-36x</b>                  | <b>AD-366</b><br>Dual UHF + EAS<br>NXP UCODE 9 |  | 73.1 x 37.7 mm<br>2.88 x 1.48 in | Apparel         | F, I, L, Q |
| <b>AD Defend</b><br>(AD-369u9) | <b>AD Defend</b><br>NXP UCODE 9                |  | 66 x 27 mm<br>2.60 x 1.06 in     | Apparel         |            |
| <b>AD Fusion U9</b>            | <b>AD Fusion</b><br>NXP UCODE 9                |  | 73 x 37 mm<br>2.87 x 1.46 in     | Apparel         |            |



# Industrial portfolio



## Industrial Portfolio UHF RFID inlays

| Design Family                     | Product Name<br>NXP Part Number             | Design (not to scale)                                                               | Antenna Dimensions             | Primary Segment        | ARC Spec |
|-----------------------------------|---------------------------------------------|-------------------------------------------------------------------------------------|--------------------------------|------------------------|----------|
| <b>AD-15x</b>                     | <b>AD-151</b><br>NXP G2iM                   |    | 22 x 15 mm<br>0.90 x 0.60 in   | Automotive             |          |
| <b>AD-22x</b>                     | <b>AD-226</b><br>NXP G2iM                   |    | 95 x 8.15 mm<br>3.74 x 0.32 in | Automotive             |          |
| <b>AD-23x</b><br><b>(AD Belt)</b> | <b>AD Belt</b><br>NXP UCODE 7XM             |    | 70 x 10 mm<br>2.76 x 0.40 in   | Aviation<br>Automotive |          |
|                                   | NXP UCODE 9XM                               |    | 70 x 14 mm<br>2.76 x 0.55 in   | Automotive             |          |
|                                   | <b>AD Belt HighTemp</b><br>NXP UCODE 7XM    |    | 70 x 10 mm<br>2.76 x 0.40 in   | Automotive             |          |
| <b>AD-37x</b>                     | <b>AD-373</b><br>NXP UCODE 7XM              |    | 53 x 19 mm<br>2.09 x 0.75 in   | Aviation<br>Automotive |          |
| <b>AD-38x</b>                     | <b>AD-380</b><br>NXP G2iM                   |  | 50 x 30 mm<br>1.97 x 1.18 in   | Automotive             |          |
| <b>AD-55x</b>                     | <b>AD-553</b><br>NXP UCODE 8                |  | 38 x 76 mm<br>1.50 x 2.99 in   | Aviation               | U        |
|                                   | <b>AD-556</b><br>Impinj M730<br>Impinj M750 |  | 38 x 46 mm<br>1.50 x 1.80 in   | Aviation               |          |
| <b>AD-66x</b>                     | <b>AD-662</b><br>NXP UCODE DNA              |  | 90 x 19 mm<br>3.54 x 0.75 in   | Automotive             |          |
|                                   | <b>AD-663</b><br>NXP UCODE 7XM              |  | 90 x 19 mm<br>3.54 x 0.75 in   | Automotive             |          |


# Industrial Portfolio UHF RFID inlays

| Design Family      | Product Name                                     | Design (not to scale) | Antenna Dimensions            | Primary Segment          | ARC Spec |
|--------------------|--------------------------------------------------|-----------------------|-------------------------------|--------------------------|----------|
| <b>AD Dogbone</b>  | <b>AD Dogbone®</b><br>Impinj M730<br>Impinj M750 |                       | 94 x 24 mm<br>3.70 x 0.95 in  | Automotive               |          |
|                    | Impinj M780<br>Impinj M781                       |                       | 94 x 24 mm<br>3.70 x 0.95 in  | Automotive               |          |
|                    | NXP UCODE 7XM                                    |                       | 94 x 24 mm<br>3.70 x 0.95 in  | Automotive               |          |
|                    | NXP UCODE 9                                      |                       | 94 x 24mm<br>3.70 x 0.95 in   | Industry                 |          |
|                    | <b>AD Dogbone® Pure</b><br>NXP UCODE 9           |                       | 94 x 24 mm<br>3.70 x 0.95 in  | Automotive               |          |
|                    | <b>AD Dogbone® High Temp</b><br>NXP UCODE 7XM    |                       | 94 x 24 mm<br>3.70 x 0.95 in  | Automotive               |          |
| <b>AD Dot</b>      | <b>AD Dot</b><br>Impinj Monza R6-P               |                       | 3 x 3 mm<br>0.118 x 0.118 in  | Industry                 |          |
| <b>AD Fly</b>      | <b>AD Fly</b><br>NXP UCODE 7XM                   |                       | 12 x 12 mm<br>0.5 x 0.5 in    | Automotive<br>Healthcare |          |
| <b>AD G7</b>       | <b>AD G7</b><br>NXP UCODE 7XM                    |                       | 100 x 20 mm<br>3.94 x 0.79 in | Automotive               |          |
| <b>AD Grille</b>   | <b>AD Grille</b><br>NXP UCODE 7XM                |                       | 22 x 22 mm<br>0.87 x 0.87 in  | Automotive               |          |
|                    | NXP UCODE 9                                      |                       | 22 x 22 mm<br>0.87 x 0.87 in  | Automotive               |          |
| <b>AD Grip</b>     | <b>AD Grip</b><br>Impinj M730<br>Impinj M750     |                       | 80 x 40 mm<br>3.15 x 1.58 in  | Automotive               | T        |
| <b>AD Minidose</b> | <b>AD Minidose</b><br>Impinj M780                |                       | 22 x 12 mm<br>0.87 x 0.47 in  | Healthcare               |          |
|                    | NXP UCODE 8<br>NXP UCODE 9                       |                       | 12 x 22 mm<br>0.47 x 0.87 in  | Healthcare               | S        |



Pure portfolio product

## Industrial Portfolio UHF RFID inlays

| Design Family  | Product Name                                | Design (not to scale)                                                                                                                                                      | Antenna Dimensions             | Primary Segment        | ARC Spec |
|----------------|---------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------|------------------------|----------|
| AD Miniweb     | AD Miniweb<br>NXP UCODE G2iM                |                                                                                           | 40 x 18 mm<br>1.58 x 0.71 in   | Automotive             |          |
|                | NXP UCODE 7XM                               |                                                                                           | 40 x 15 mm<br>1.58 x 0.60 in   | Automotive             |          |
|                | NXP UCODE 9XM                               |                                                                                           | 42 x 16 mm<br>1.65 x 0.63 in   | Automotive             |          |
|                | AD Miniweb FCC<br>Impinj M780               |                                                                                           | 42 x 16 mm<br>1.65 x 0.63 in   | Automotive             |          |
| AD Shortdipole | AD Shortdipole<br>NXP UCODE 7XM             |                                                                                           | 93 x 11 mm<br>3.66 x 0.43 in   | Automotive             |          |
|                | NXP UCODE 8                                 |                                                                                           | 93 x 11 mm<br>3.66 x 0.43 in   | Industry               | P        |
| AD Solar       | AD Solar<br>NXP UCODE 9                     |                                                                                         | 70 x 14.5 mm<br>2.76 x 0.57 in | Industry               |          |
| AD Squarewave  | AD Squarewave<br>Impinj M730<br>Impinj M750 | <br> | 93 x 11 mm<br>3.66 x 0.43 in   | Industry               | P        |
|                | Impinj M780<br>Impinj M781                  |                                                                                         | 93 x 11 mm<br>3.66 x 0.43 in   | Automotive             |          |
|                | NXP UCODE 9                                 |                                                                                         | 93 x 11 mm<br>3.66 x 0.43 in   | Automotive<br>Industry |          |
|                | AD Squarewave Pure<br>NXP UCODE 9           |                                                                                         | 93 x 11 mm<br>3.66 x 0.43 in   | Automotive<br>Industry |          |
| AD Frog 3D     | AD Frog 3D<br>Impinj Monza 4QT              |                                                                                         | 68 x 68 mm<br>2.68 x 2.68 in   | Automotive<br>Industry |          |
| AD TracX       | AD TracX<br>Impinj M730<br>Impinj M750      | <br> | 50 x 50 mm<br>1.97 x 1.97 in   | Automotive             |          |
|                | Impinj M780<br>Impinj M781                  |                                                                                         | 50 x 50 mm<br>1.97 x 1.97 in   | Automotive             |          |

 Pure portfolio product

## Industrial Portfolio UHF RFID inlays

| Design Family   | Product Name                                 | Design (not to scale) | Antenna Dimensions           | Primary Segment                        | ARC Spec |
|-----------------|----------------------------------------------|-----------------------|------------------------------|----------------------------------------|----------|
| <b>AD Trap</b>  | <b>AD Trap</b><br>Impinj M730<br>Impinj M750 |                       | 8 x 22 mm<br>0.32 x 0.87 in  | Beauty and Personal Care<br>Healthcare |          |
|                 | NXP UCODE 9                                  |                       | 8 x 22 mm<br>0.32 x 0.87 in  | Apparel<br>Healthcare                  |          |
| <b>AD Twist</b> | <b>AD Twist</b><br>NXP UCODE 7XM             |                       | 27 x 27 mm<br>1.06 x 1.06 in | Aviation<br>Automotive                 |          |
|                 | NXP UCODE 8                                  |                       | 23 x 23 mm<br>0.91 x 0.91 in | Automotive                             |          |
|                 | NXP UCODE 9XM                                |                       | 23 x 23 mm<br>0.91 x 0.91 in | Automotive                             |          |

## Industrial Portfolio On-metal tags

| Design Family           | Product Name                                                                                                                     | Design (not to scale) | Antenna Dimensions             | Primary Segment                       | ARC Spec |
|-------------------------|----------------------------------------------------------------------------------------------------------------------------------|-----------------------|--------------------------------|---------------------------------------|----------|
| <b>AD 2Metal Rock</b>   | <b>AD 2Metal Rock</b><br>Impinj M781                                                                                             |                       | 95 x 40 mm<br>3.74 x 1.58 in   | Automotive<br>Logistics               |          |
| <b>AD Midas Flagtag</b> | <b>AD Midas Flagtag®</b><br>Impinj M730<br>Impinj M750                                                                           |                       | 34.4 x 18 mm<br>1.36 x 0.71 in | Automotive<br>Healthcare<br>Logistics |          |
|                         | Impinj M780                                                                                                                      |                       | 34.4 x 18 mm<br>1.36 x 0.71 in | Aviation<br>Automotive<br>Logistics   |          |
|                         | NXP UCODE 9XM                                                                                                                    |                       | 34 x 18 mm<br>1.34 x 0.71 in   | Automotive                            |          |
|                         | <b>AD Midas Flagtag® ETSI</b><br>NXP UCODE 7XM                                                                                   |                       | 47 x 18 mm<br>1.85 x 0.71 in   | Automotive                            |          |
|                         |  <b>AD Midas Flagtag® Pure</b><br>NXP UCODE 9 |                       | 34 x 18 mm<br>1.34 x 0.71 in   | Apparel<br>Food                       |          |
| <b>AD Skyline</b>       | <b>AD Skyline ETSI</b><br>NXP UCODE 7XM                                                                                          |                       | 112 x 23 mm<br>4.41 x 0.91 in  | Automotive<br>Logistics               |          |

## Industrial Portfolio UHF RFID sensor inlays

| Design Family     | Product Name                                          | Design (not to scale) | Antenna Dimensions           | Primary Segment                       | ARC Spec |
|-------------------|-------------------------------------------------------|-----------------------|------------------------------|---------------------------------------|----------|
| <b>AD Dogbone</b> | <b>AD Temperature Sensor Dogbone® Axzon Magnus S3</b> |                       | 89 x 24 mm<br>3.50 x 0.90 in | Healthcare<br>Industrial Applications |          |

## Industrial Portfolio - Dual frequency tags

| Design Family                    | Product Name                              | Design (not to scale) | Antenna Dimensions               | Primary Segment                                                 | ARC Spec |
|----------------------------------|-------------------------------------------|-----------------------|----------------------------------|-----------------------------------------------------------------|----------|
| <b>AD Belt DF</b>                | <b>AD Belt DF EM4425</b>                  |                       | 70 x 20 mm<br>2.76 x 0.79 in     | Apparel<br>Healthcare<br>Logistics<br>Supply Chain              |          |
| <b>AD Medioweb DF</b>            | <b>AD Medio Web DF EM4425</b>             |                       | 45 x 28.5 mm<br>1.77 x 1.12 in   | Industrial                                                      |          |
| <b>AD Midas Flagtag (EM4425)</b> | <b>AD Midas Flagtag® DF Global EM4425</b> |                       | 31.4 x 48 mm<br>1.24 x 1.89 in   | Industrial                                                      |          |
| <b>AD Slim DF</b>                | <b>AD Slim DF EM4425</b>                  |                       | 74.2 x 10.7 mm<br>2.92 x 0.42 in | Apparel<br>Healthcare<br>Inventory<br>Logistics<br>Supply Chain |          |
| <b>AD Web DF</b>                 | <b>AD Web DF EM4425</b>                   |                       | 50 x 30 mm<br>1.97 x 1.18 in     | Apparel<br>Inventory<br>Logistics<br>Supply Chain               |          |


## Industrial Portfolio HF inlays

| Product Name         | Design (not to scale) | Antenna Dimensions               | Chip                   | Industry Segments                                        |
|----------------------|-----------------------|----------------------------------|------------------------|----------------------------------------------------------|
| <b>AD Band</b>       |                       | 23 x 70 mm<br>0.91 x 2.76 in     | NXPICODE ILT-M         | Media and Document Management                            |
| <b>AD Block</b>      |                       | 45 x 45 mm<br>1.77 x 1.77 in     | NXPICODE ILT-M         | Inventory                                                |
| <b>AD Block Lite</b> |                       | 47 x 47 mm<br>1.85 x 1.85 in     | NXPICODE SLIX / SLIX 2 | Library Product Authentication                           |
| <b>AD Bullseye™</b>  |                       | Ø 33 mm<br>1.30 in               | NXPICODE SLIX / SLIX 2 | Apparel, Aviation, Food, Healthcare, Inventory           |
| <b>AD Circus™</b>    |                       | Ø 22 mm<br>0.87 in               | NXPICODE ILT-M         | Healthcare Inventory                                     |
| <b>AD Circus™</b>    |                       | Ø 18 mm<br>0.71 in               | NXPICODE SLIX / SLIX 2 | Apparel, Beauty and Personal Care, Healthcare, Inventory |
| <b>AD Circus™</b>    |                       | Ø 18 mm<br>0.71 in               | STM ST25TV02K          | Apparel, Beauty and Personal Care, Healthcare, Inventory |
| <b>AD Microblock</b> |                       | 8 x 8 mm<br>0.32 x 0.32 in       | NXPICODE SLIX          | Healthcare                                               |
| <b>AD Microtrack</b> |                       | 20 x 10 mm<br>0.79 x 0.39 in     | NXPICODE SLIX          | Healthcare                                               |
| <b>AD Miniblock</b>  |                       | 14.5 x 14.5 mm<br>0.57 x 0.57 in | NXPICODE SLIX / SLIX 2 | Beauty and Personal Care                                 |
| <b>AD Miniblock</b>  |                       | 14.5 x 14.5 mm<br>0.57 x 0.57 in | STM ST25TV02K          | Beauty and Personal Care                                 |
| <b>AD Minitrack</b>  |                       | 14 x 31 mm<br>0.55 x 1.22 in     | NXPICODE SLIX / SLIX 2 | Apparel Healthcare Inventory                             |
| <b>AD Minitrack</b>  |                       | 14 x 31 mm<br>0.55 x 1.22 in     | STM ST25TV02K          | Apparel Healthcare Inventory                             |
| <b>AD Racetrack</b>  |                       | 45 x 76 mm<br>1.77 x 2.99 in     | NXPICODE SLIX / SLIX 2 | Media and Document Management                            |
| <b>AD Stingray</b>   |                       | Ø 105 mm<br>4.13 in              | NXPICODE SLIX / SLIX 2 |                                                          |

## Industrial Portfolio NFC inlays

| Product Name           | Design (not to scale) | Antenna Dimensions             | Chip                             | Industry Segments                                                            |
|------------------------|-----------------------|--------------------------------|----------------------------------|------------------------------------------------------------------------------|
| AD Bullseye™ NFC       |                       | Ø 35 mm<br>1.38 in             | NXP NTAG213<br>NXP NTAG216       | Apparel, Aviation, Food, Healthcare, Inventory, Supply Chain                 |
| AD Bullseye™ On-Metal  |                       | Ø 35 mm<br>1.38 in             | NXP NTAG213                      | Apparel, Food, Healthcare, Inventory                                         |
| AD Bullseye™ Pro       |                       | Ø 35 mm<br>1.38 in             | NXP NTAG424 DNA                  | Apparel, Aviation, Food, Healthcare, Inventory Supply Chain                  |
| AD Circus™ Flex        |                       | Ø 20 mm<br>0.79 in             | NXP NTAG213                      | Apparel, Aviation, Food, Inventory, Supply Chain                             |
| AD Circus™ Mini        |                       | Ø 16 mm<br>0.63 in             | NXP NTAG213                      | Apparel, Beauty and Personal Care, Food, Inventory                           |
| AD Circus™ NFC         |                       | Ø 20 mm<br>0.79 in             | NXP NTAG210 Micro                | Apparel, Aviation, Food, Healthcare, Inventory, Supply Chain                 |
| AD Circus™ NFC         |                       | Ø 20 mm<br>0.79 in             | NXP NTAG213<br>NXP NTAG216       | Apparel, Beauty and Personal Care, Food, Healthcare, Inventory, Supply Chain |
| AD Circus™ NFC         |                       | Ø 20 mm<br>0.79 in             | ST25TN512<br>ST25TN01K           | Apparel, Beauty and Personal Care, Food, Healthcare, Inventory, Supply Chain |
| AD Circus™ On-Metal    |                       | Ø 20 mm<br>0.79 in             | NXP NTAG213                      | Apparel, Food, Healthcare, Inventory                                         |
| AD Circus™ Pro         |                       | Ø 20 mm<br>0.79 in             | EM 4332<br>NXP NTAG424 DNA       | Apparel, Aviation, Food, Healthcare, Inventory Supply Chain                  |
| AD Circus™ Tamper Loop |                       | 20 x 50 mm<br>0.79 x 2.0 in    | NXP NTAG213 TT                   | Healthcare<br>Food                                                           |
| AD Midas NFC           |                       | 10 x 17 mm<br>0.39 x 0.67 in   | NXP NTAG210 Micro<br>NXP NTAG213 | Apparel                                                                      |
| AD Midas+ NFC          |                       | 11.5 x 19 mm<br>0.45 x 0.75 in | NXP NTAG210 Micro<br>NXP NTAG213 | Apparel                                                                      |
| AD Midas+ NFC          |                       | 11.5 x 19 mm<br>0.45 x 0.75 in | ST25TN512<br>ST25TN01K           | Apparel                                                                      |
| AD Midas Slim          |                       | 17 x 8.5 mm<br>0.67 x 0.34 in  | NXP NTAG210 Micro<br>NXP NTAG213 | Food                                                                         |


## Industrial Portfolio NFC inlays

| Product Name        | Design (not to scale)                                                             | Antenna Dimensions           | Chip                             | Industry Segments |
|---------------------|-----------------------------------------------------------------------------------|------------------------------|----------------------------------|-------------------|
| AD Minitrack<br>NFC |  | 14 x 31 mm<br>0.55 x 1.22 in | NXP NTAG210 Micro<br>NXP NTAG213 | Apparel           |
| AD Minitrack<br>NFC |  | 31 x 14 mm<br>1.22 x 0.55 in | ST25TN512<br>ST25TN01K           | Apparel           |

## Industrial Portfolio TT Sensor Plus 2 tags

| Product Name           | Design (not to scale)                                                             | Tag Dimensions                            | Chip        | Industry Segments               |
|------------------------|-----------------------------------------------------------------------------------|-------------------------------------------|-------------|---------------------------------|
| AD-TT Sensor<br>Plus 2 |  | 68 x 26 x 3.5 mm<br>2.68 x 1.02 x 0.14 in | NXP NHS3100 | Logistics<br>Healthcare<br>Food |

## UHF RFID hard tags

| Product Name                    | Design (not to scale)                                                               | Hard Tag Dimensions                                             | Chip                                | Industry Segments                                  |
|---------------------------------|-------------------------------------------------------------------------------------|-----------------------------------------------------------------|-------------------------------------|----------------------------------------------------|
| <b>AD Maxdura® Tire Tag</b>     |    | 43 x 2.0 x 2.00 mm<br>1.69 x 0.07 x 0.07                        | Monza M730<br>Higgs 9               | Automotive<br>Industrial Applications              |
| <b>AD Eartrace® Male Flag</b>   |    | 60 x 76 mm<br>2.36 x 2.99 in                                    | Impinj Monza R6-P                   | Animal Identification                              |
| <b>AD Maxdura® Brick</b>        |    | 39 x 13 mm<br>1.54 x 0.51 in                                    | Alien Higgs 9                       | Automotive<br>Industrial Applications<br>Logistics |
| <b>AD Maxdura® Ceramic</b>      |    | 5 x 5 mm<br>0.20 x 0.20 in<br>(±0.5 mm)<br>many sizes available | Alien Higgs 3                       | Automotive<br>Industrial Applications<br>Logistics |
| <b>AD Maxdura® Flex</b>         |    | 124 x 30 mm<br>4.88 x 1.18 in                                   | Alien Higgs 9                       | Automotive<br>Industrial Applications<br>Logistics |
| <b>AD Maxdura® Keg Dual</b>     |   | 53 x 43 mm<br>2.09 x 1.69 in                                    | Impinj Monza R6-P<br>NXPICODE SLIX2 | Food<br>Industrial Applications<br>Logistics       |
| <b>AD Maxdura® Keg Embedded</b> |  | 10 x 60 mm<br>0.39 x 2.36 in                                    | Impinj Monza R6-P                   | Food<br>Industrial Applications<br>Logistics       |
| <b>AD Maxdura® Long Range</b>   |  | 150 x 25 mm<br>5.91 x 0.98 in                                   | Alien Higgs 9<br>Impinj Monza 4E    | Automotive<br>Industrial Applications<br>Logistics |
| <b>AD Maxdura® Outdoor</b>      |  | 150 x 25 mm<br>5.91 x 0.98 in                                   | Alien Higgs 9                       | Automotive<br>Industrial Applications<br>Logistics |
| <b>AD Tagmicro-Tx3D</b>         |  | 5 x 5 mm<br>0.20 x 0.20 in                                      | ASIC 16k                            | Automotive                                         |
| <b>AD Tagmicro-TxFN</b>         |  | 5 x 5 mm<br>0.20 x 0.20 in                                      | ASIC 4k<br>ASIC 8k                  | Automotive                                         |

## NFC / HF hard tags

| Product Name         | Design (not to scale)                                                               | Hard Tag Dimensions                                                              | Chip                                                                                       | Industry Segments                                                |
|----------------------|-------------------------------------------------------------------------------------|----------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------|------------------------------------------------------------------|
| AD Glass Tag NFC     |    | Ø 2.12 x 12 mm<br>0.08 x 0.47 in                                                 | NXPICODE SLIX 2<br>NXPICODE SLIX-L<br>NXP NTAG216                                          | Industrial Applications<br>Healthcare<br>Sports and Events       |
| AD HAT NFC Dongle    |    | Ø 30 mm<br>1.18 in                                                               | NXP NTAG213                                                                                | Animal Identification<br>Industrial Applications                 |
| AD Maxdura® Case     |    | 51 x 51 mm<br>2.01 x 2.01 in                                                     | NXPICODE SLIX                                                                              | Automotive<br>Industrial Applications<br>Logistics               |
| AD Maxdura® Disc     |    | Ø 15 mm - 0.59 in<br>Ø 20 mm - 0.78 in<br>Ø 30 mm - 1.18 in<br>Ø 50 mm - 1.97 in | ATMEL ATA5577<br>EM 4237 SLIC<br>Fujitsu FRAM 2k rev.C<br>NXPICODE SLIX<br>NXPICODE SLIX 2 | Automotive<br>Healthcare<br>Industrial Applications<br>Logistics |
| AD Maxdura® Keg Dual |    | 53 x 43 mm<br>2.09 x 1.69 in                                                     | Impinj Monza R6-P<br>NXPICODE SLIX2                                                        | Food<br>Industrial Applications<br>Logistics                     |
| AD Maxdura® Laundry  |   | Ø 16 mm<br>0.63 in                                                               | EM 4033 DFN                                                                                | Apparel<br>Industrial Applications<br>Logistics                  |
| AD Maxdura® Mini     |  | Ø 6 mm<br>0.24 in                                                                | NXPICODE SLIX                                                                              | Automotive<br>Industrial Applications<br>Logistics               |

## LF hard tags

| Product Name                   | Design (not to scale) | Hard Tag Dimensions                                                                                                                                                                                                                                                                                                                                                                                           | Chip                                        | Industry Segments                                            |
|--------------------------------|-----------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------|--------------------------------------------------------------|
| AD Glass Tag AES               |                       | Ø 3.15 x 13.30 mm<br>0.12 x 0.52 in                                                                                                                                                                                                                                                                                                                                                                           | ASIC                                        | Automotive<br>Immobilizer Systems<br>Industrial Applications |
| AD Eartrace® Air Coil          |                       | Max. Inner Diameter<br>Ø 24.1 mm / 0.95 in<br>Ø 20 mm / 0.79 in<br>Ø 23 mm / 0.91 in<br>Ø 26 mm / 1.02 in<br>Ø 27 mm / 1.09 in<br>Ø 20.8 mm / 0.81 in<br>Ø 25.4 mm / 1 in<br>Ø 27.8 mm / 1.09 in<br><br>Min. Outer Diameter<br>Ø 20 mm / 0.79 in<br>Ø 15 mm / 0.59 in<br>Ø 19.5 mm / 0.77 in<br>Ø 17.1 mm / 0.67 in<br>Ø 23.8 mm / 0.94 in<br>Ø 15 mm / 0.59 in<br>Ø 19.9 mm / 0.78 in<br>Ø 23.8 mm / 0.94 in | EM 4305<br>SIC279                           | Animal Identification                                        |
| AD Glass Tag Animal ID         |                       | Ø 1.25 x 8.30 mm / 0.05 x 0.33 in<br>Ø 1.41 x 8.30 mm / 0.06 x 0.33 in<br>Ø 2.12 x 12 mm / 0.08 x 0.47 in<br>Ø 3.85 x 23 mm / 0.15 x 0.91 in<br>Ø 3.85 x 32 mm / 0.15 x 1.26 in                                                                                                                                                                                                                               | EM 4305<br>SIC279<br>Other IC's on request  | Animal Identification                                        |
| AD Glass Tag Industry          |                       | Ø 2.12 x 12 mm / 0.08 x 0.47 in<br>Ø 3.15 x 13.30 mm / 0.12 x 0.52 in<br>Ø 3.85 x 32 mm / 0.15 x 1.26 in                                                                                                                                                                                                                                                                                                      | NXP HITAGS 256<br>NXP HITAGS 2048<br>Unique | Industrial Applications<br>Logistics                         |
| AD Intrace® Cannula            |                       | Ø 1.41 x 8.30 mm / 0.06 x 0.33 in<br>Ø 1.41 x 10 mm / 0.06 x 0.39 in<br>Ø 2.12 x 12 mm / 0.08 x 0.47 in                                                                                                                                                                                                                                                                                                       | EM 4305                                     | Animal Identification                                        |
| AD Intrace® Syringe            |                       | Ø 1.25 x 8.30 mm / 0.05 x 0.33 in<br>Ø 1.41 x 8.30 mm / 0.06 x 0.33 in<br>Ø 1.41 x 10 mm / 0.06 x 0.39 in<br>Ø 2.12 x 12 mm / 0.08 x 0.47 in                                                                                                                                                                                                                                                                  | EM 4305                                     | Animal Identification                                        |
| AD Glass Tag Tagcoder Lite II  |                       | Ø 3.15 x 13.30 mm<br>0.12 x 0.52 in                                                                                                                                                                                                                                                                                                                                                                           | ASIC                                        | Automotive<br>Industrial Applications                        |
| AD Tagmicro-Tx3D               |                       | 5 x 5 mm<br>0.20 x 0.20 in                                                                                                                                                                                                                                                                                                                                                                                    | ASIC 16k                                    | Automotive                                                   |
| AD Tagmicro-TxFN               |                       | 5 x 5 mm<br>0.20 x 0.20 in                                                                                                                                                                                                                                                                                                                                                                                    | ASIC 4k<br>ASIC 8k                          | Automotive                                                   |
| AD Tagreader IC                |                       | 9.93 x 5.99 mm<br>0.39 x 0.23 in                                                                                                                                                                                                                                                                                                                                                                              | ASIC                                        | Automotive                                                   |
| AD Glass Tag Unique Automotive |                       | Ø 3.15 x 13.30 mm<br>0.12 x 0.52 in                                                                                                                                                                                                                                                                                                                                                                           | EM 4102                                     | Automotive<br>Industrial Applications                        |

## LF readers

| Product Name                     | Design (not to scale) | Hard Tag Dimensions            | Industry Segments     |
|----------------------------------|-----------------------|--------------------------------|-----------------------|
| AD Intrace® Handheld Reader RH5  |                       | 155 x 82 mm<br>6.10 x 3.23 in  | Animal Identification |
| AD Eartrace® Handheld Reader RH7 |                       | 660 x 65 mm<br>25.98 x 2.56 in | Animal Identification |